

Creating Sexy Stylesheets

WebDesign World Chicago, 2008

» Dan Rubin
Sidebar Creative

Creating Sexy Stylesheets WDW Chicago, 2008




Me, according to nGen works @ <http://happywebbies.com/>

Creating Sexy Stylesheets WDW Chicago, 2008

Pro CSS Techniques

by Jeff Croft
Ian Lloyd
Dan Rubin



What you'll learn:

- ✓ Organization
- ✓ Management
- ✓ Optimization
- ✓ a little bit about **CSS3**

Creating Sexy Stylesheets WDW Chicago, 2008

This is not:

- ✗ an introduction to CSS
- ✗ a bug-fixing tutorial
- ✗ a discussion about fixed vs liquid
or em vs px
- ✗ a cooking show

Creating Sexy Stylesheets WDW Chicago, 2008

Organize

Why?

Keeping your stylesheet organized makes your life easier and creates patterns which streamline workflow.

Follow the markup

Mimic the flow of your markup from top to bottom, grouping related rules as you go.

Creating Sexy Stylesheets WDW Chicago, 2008

Example:

Markup

```
<body>  
  <div id="header">...</div>  
  <div id="content">...</div>  
  <div id="footer">...</div>  
</body>
```

Styles

```
body {...}  
#header {...}  
#content {...}  
#footer {...}
```

Separate by purpose

Group rules based on their function,
e.g. *layout, text, colors*, etc.

Creating Sexy Stylesheets WDW Chicago, 2008

Example:

Styles

```
/* layout */  
#header {...}  
#content {...}  
#footer {...}
```

```
/* navigation */  
#nav {...}  
#nav li {...}  
#nav li a {...}
```

```
/* text headings */  
h1 {...}  
h2 {...}  
h3 {...}
```

Order your properties

Use a consistent method to organize your properties within each rule to speed creation and editing.

Creating Sexy Stylesheets WDW Chicago, 2008

Example:

Alphabetical

```
h1 {  
  background;;  
  border;;  
  color;;  
  font-family;;  
  left;;  
  margin;;  
  opacity;;  
  padding;;  
  position;;  
  text-align;;  
  top;;  
  z-index;;  
}
```

Creating Sexy Stylesheets WDW Chicago, 2008

Example:

Functional

```
h1 {  
    position;;  
    top;;  
    left;;  
    z-index;;  
    margin;;  
    padding;;  
    background;;  
    border;;  
    color;;  
    opacity;;  
    font-family;;  
    text-align;;  
}
```

Comment, comment, comment.

Use comments to keep your rules grouped, and make it easier for multiple people to maintain the same stylesheet.

Creating Sexy Stylesheets WDW Chicago, 2008

Example:

Structural

```
/* layout */  
#header {...}  
#content {...}  
#footer {...}
```

```
/* navigation */  
#nav {...}  
#nav li {...}  
#nav li a {...}
```

Maintenance

```
/* hook for extra background image */  
#header li a em span {...}
```


Do what works
best for *you.*

Creating Sexy Stylesheets WDW Chicago, 2008

Manage

Multiple stylesheets

Use separate stylesheets to organize typography, layout, colors, etc. into their own files.

Hacks & conditional comments

If you use hacks for specific browsers, place them in their own stylesheets, and reference the hack in the main stylesheet.

Don't use **!important** or **inline** styles

Inline styles defeat the purpose of using a common stylesheet.

!important makes editing and testing more difficult.

Creating Sexy Stylesheets WDW Chicago, 2008

Optimize

Shorthand properties

Use shorthand properties to streamline your rules and remove unnecessary clutter.

Creating Sexy Stylesheets WDW Chicago, 2008

Example:

Before

```
#header {  
    background-color:#fff;  
    background-image:url(bg.png);  
    background-repeat:no-repeat;  
    margin-top:0;  
    margin-right:25px;  
    margin-bottom:20px;  
    margin-left:25px;  
}
```

After

```
#header {  
    background:#fff url(bg.png) no-repeat;  
    margin:0 25px 20px;  
}
```


Format rules on a single line

Using single-line rules makes it easier to read your stylesheet and see its structure.

Creating Sexy Stylesheets WDW Chicago, 2008

Example:

Before

```
#header {  
    background:#fff url(bg.png) no-repeat;  
    margin:0 25px 20px;  
}  
  
#content {  
    float:left  
    padding:20px;  
}
```

After

```
#header {...}  
#content {...}  
#footer {...}
```

Creating Sexy Stylesheets WDW Chicago, 2008

CSS3

What CSS3 will give us

- ✓ Multiple background images
- ✓ Multi-column layout
- ✓ Grid positioning
- ✓ Advanced selectors (nth-child, nth-last-child, nth-of-type)

Creating Sexy Stylesheets WDW Chicago, 2008

Example:

Before

```
<div class="rounded-box">  
  <div>  
    <div>  
      <div>...</div>  
    </div>  
  </div>  
</div>
```

After

```
<div class="rounded-box">...</div>
```

Creating Sexy Stylesheets WDW Chicago, 2008

Example:

```
.rounded-box {  
    background-image:  
        url(top-left.gif),  
        url(bottom-left.gif),  
        url(top-right.gif),  
        url(bottom-right.gif);  
  
    background-repeat:no-repeat;  
  
    background-position:  
        top left,  
        bottom left,  
        top right,  
        bottom right; }
```

Creating Sexy Stylesheets WDW Chicago, 2008



Q&A

[http://superfluousbanter.org/
presentations/2008/](http://superfluousbanter.org/presentations/2008/)

(the slides will be here later)